

CONTENTS

Crystal and molecular structure of methyl α -D-galactopyranoside 3-(sodium sulfate) monohydrate A.J. Polvorinos, R.R. Contreras, D. Martin-Ramos, J. Romero and M.A. Hidalgo (Seville, Spain)	1
Vibrational Raman optical activity study of D-glucose A.F. Bell, L.D. Barron and L. Hecht (Glasgow, United Kingdom)	11
X-ray and conformational investigation of 6-deoxy-6-C-(1,5-di-O-acetyl-2,3-O-isopropylidene- β -D- <i>allo</i> -pentofuranos-5-yl)-1,2,3,4-di-O-isopropylidene- α -D-galactopyranose and 6-C-(benzyl 5-deoxy-2,3-O-isopropylidene- β -D-ribofuranosid-5-yl)-1,2:3,4-di-O-isopropylidene-D- <i>glycero</i> - α -D-galacto-hexopyranose J.W. Krajewski, W. Karpiesiuk and A. Banaszek (Warszawa, Poland)	25
Nuclear magnetic resonance and conformational investigations of the pentasaccharide of the Forssman antigen and overlapping di-, tri-, and tetra-saccharide sequences G. Grönberg (Valby, Denmark), U. Nilsson (Lund, Sweden), K. Bock (Valby, Denmark) and G. Magnusson (Lund, Sweden)	35
Synthesis of the methyl thioglycosides of 2-, 3-, and 4-deoxy-L-fucose A. Hasegawa, T. Ando, M. Kato, H. Ishida and M. Kiso (Gifu, Japan)	55
Synthesis of deoxy-L-fucose-containing sialyl Lewis X ganglioside analogues A. Hasegawa, T. Ando, M. Kato, H. Ishida and M. Kiso (Gifu, Japan)	67
On the synthesis of C-glycosyl compounds containing double bonds without the use of protecting groups G. Wulff and G. Clarkson (Düsseldorf, Germany).	81
Transformation of D-allose and L-gulose with potassium cyanate into cyclic carbamates J. Kovács, I. Pintér (Budapest, Hungary), D. Abeln, J. Kopf (Hamburg, Germany) and P. Köll (Oldenburg, Germany)	97
The structure of the capsular polysaccharide from <i>Klebsiella</i> K43 P. Edebrink, P.-E. Jansson, G. Widmalm (Stockholm, Sweden) and W. Nimmich (Rostock, Germany)	107
The gelation of sodium alginate with calcium ions studied by magnetic resonance imaging (MRI) K. Potter, B.J. Balcom, T.A. Carpenter and L.D. Hall (Cambridge, United Kingdom)	117

Notes

- 1-Deoxy-1-isothiocyanato-D-fructose as intermediate in syntheses of 1,3-O(S),N-heterocycles
J. Fuentes Mota, J.L. Jiménez Blanco, C. Ortiz Mellet and J.M. García Fernández (Sevilla, Spain) 127

- Acylating properties of *N*-substituted 2-*C*:1-*N*-carbonyl-2-deoxyglycopyranosylamines
D. Mostowicz and M. Chmielewski (Warsaw, Poland) 137

- Synthesis of 2,6-dideoxy-2-(*N*-methylacetamido)-D-galactose (*N*-acetyl-*N*-methyl-D-fucosamine) and of derivatives suitable for 3-*O*- or 4-*O*-glycosylation
P. Szabó and D. Charon (Châtenay–Malabry, France) 145

- Effect of modifying histidine residues on the action of *Bacillus amyloliquefaciens* and barley-malt α -amylases
H. Nakatani, K. Hamaguchi (Kyoto, Japan) and K. Ishikawa (Tsukuba, Japan) 155

Preliminary communication

- Enzymic synthesis of *N*-acetylglucosamine on a soluble, light-sensitive polymer
T. Wiemann, N. Taubken (Hamburg, Germany), U. Zehavi (Rehovot, Israel) and J. Thiem (Hamburg, Germany) C1

- Announcements C7

Regular papers

- NMR studies of some (1 \rightarrow 6)-linked disaccharide methyl glycosides
P.-E. Jansson (Stockholm, Sweden), L. Kenne (Uppsala, Sweden) and I. Kolare (Stockholm, Sweden) 163

- Total asymmetric synthesis of 3-amino-3-deoxy-L-talose and derivatives
P. Hünenberger, S. Allemann and P. Vogel (Lausanne, Switzerland) 175

- Synthesis and two-dimensional nuclear magnetic resonance analysis of a tetra- and a hexa-saccharide fragment of the *O*-specific polysaccharide of *Shigella dysenteriae* type 1
V. Pozgay (Bethesda, MD, USA) and B. Coxon (Gaithersburg, MD, USA) 189

- Acetolysis of a 2,4-*O*-benzylidene-L-ribo-hex-5-enitol derivative
J. Kuszmann and B. Podányi (Budapest, Hungary) 217

- Configurational stability and molecular dynamics of acetal-linked pyruvate substituents in polysaccharides
S. Miertus, L. Navarini and A. Cesàro (Trieste, Italy) 227

- Structural investigation of two cell-wall polysaccharides of *Penicillium expansum* strains
E. Parra, J. Jiménez-Barbero, M. Bernabe, J.A. Leal, A. Prieto and B. Gómez-Miranda (Madrid, Spain) 239

- Models for the action of barley α -amylase isozymes on linear substrates
E.A. MacGregor, A.W. MacGregor, L.J. Macri and J.E. Morgan (Winnipeg, MB, Canada) 249

- Structural studies of the O-polysaccharide from the lipopolysaccharide of *Moraxella* (*Branhamella*) *catarrhalis* serotype A (strain ATCC 25238)
P. Edebrink, P.-E. Jansson, M.M. Rahman, G. Widmalm, T. Holme, M. Rahman (Stockholm, Sweden) and A. Weintraub (Huddinge, Sweden) 269

Structure-activity relationships in the induction of single-strand breakage in plasmid pBR322 DNA by amino sugars and derivatives N. Kashige (Fukuoka, Japan), T. Yamaguchi (Miyazaki, Japan), A. Ohtakara, M. Mitsutomi (Saga, Japan), J.S. Brimacombe (Dundee, United Kingdom), F. Miake and K. Watanabe (Fukuoka, Japan)	285
<i>Notes</i>	
Some aspects of the synthesis of allyl β -D-fructopyranoside H.W.C. Raaijmakers, E.G. Arnouts, B. Zwanenburg and G.J.F. Chittenden (Nijmegen, Netherlands).	293
New syntheses of methyl 5-thio- β -D-arabinopyranoside and (+)-biotin N.A. Hughes (Newcastle upon Tyne, United Kingdom), K.-M. Kuhajda and D.A. Miljkovic (Novi Sad, Yugoslavia)	299
A D-ribofuranosylenamine as glycosyl acceptor J. Fuentes Mota, D. Mostowicz, C. Ortiz, M.A. Pradera and I. Robina (Sevilla, Spain).	305
Synthesis of 3- and 4-deoxy derivatives of L-rhamnose from 1,2-O-(1-methoxyethylidene)- β -L-rhamnopyranose E. Bousquet (Catania, Italy), L. Lay, F. Nicotra, L. Panza, G. Russo (Milano, Italy) and S. Tirendi (Catania, Italy)	317
Synthesis of galactosyl phosphate diester derivatives of nucleosides T.-W. Ma, J.-M. Min and L.-H. Zhang (Beijing, China)	323
<i>Corrigendum</i>	C11
<i>Author index</i>	C13
<i>Subject index</i>	C15